

Revision date 29-May-2017

Version 3

Supersedes Date: 20-May-2017

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier Product Code

49313

Product Name

POR 15 NON-SLIP AGGREGATE

Other means of identification No information available

Recommended use of the chemical and restrictions on use Paint, Coatings

Details of the supplier of the safety data sheet

See section 16 for more information

POR Products 38 Portman Rd New Rochelle, NY 10801 1-914-636-0700

Emergency telephone number United States of America C h e m T e I I n c. 1-800-255-3924 1-813-248-0585

Section 2: HAZARDS IDENTIFICATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

Classification	
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2B
Specific target organ toxicity (single exposure)	Category 3

Label elements



Signal word

WARNING

PREVENTION

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Wash face, hands and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use

explosion-proof electrical/ventilating/lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

RESPONSE

IF exposed or concerned: Get medical advice/attention.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin

If skin irritation occurs: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion

Do NOT induce vomiting. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Fire

File

In case of fire: Use CO2, dry chemical, or foam for extinction.

STORAGE

Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool.

DISPOSAL

Dispose of contents/containers in accordance with local regulations.

OTHER HAZARDS

Not applicable.

UNKNOWN ACUTE TOXICITY

0% of the mixture consists of ingredient(s) of unknown toxicity.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	weight-%
Aluminum Oxide	1344-28-1	>99

Section 4: FIRST AID EASURES

First Aid Measures

General advice

IF exposed or concerned: Get medical advice/attention

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Skin Contact

Wash contaminated clothing before reuse If skin irritation occurs: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Do NOT induce vomiting

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

Flammable properties	Flammable liquid.
flash point	No information available
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Autoignition temperature	No information available
Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	No information available. No information available.

Suitable extinguishing

media

Extinguisher suitable for ordinary combustible materials. Class A extinguishing agents

Not to be used for safety reasons: Strong water jet

Specific hazards arising from the chemical

Burning produces heavy smoke. Fire may produce irritating and/or toxic gases. In the event of fire and/or explosion do not breathe fumes.

Special protective equipment for fire-fighters

self-contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Extinguish preferably with dry chemical, foam, or water spray.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions

Avoid breathing vapors or mists. Remove all sources of ignition. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Take precautionary measures against static discharges.

Environmental precautions

Do not allow into any sewer, on the ground or into any body of water. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Dispose of waste product or used containers according to local regulations. Clean with detergents. Avoid solvent cleaners. Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

Section 7: HANDLING AND STORAGE

Advice on safe handling

Avoid accumulation of dust. Use only in well-ventilated areas.

General Hygiene Considerations

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing.

Storage Conditions

Keep/store only in original container. Store in accordance with local regulations. Keep unauthorized personnel away. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed in a dry and well-ventilated place. Keep tightly closed in a dry and cool place.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Substance	CAS #	Exposure Limit	Note:
Aluminum Oxide	1344-28-1	15 mg/m ³ LTEL	OSHA
		10 mg/m ³ TLV	ACGIH
Biological limit values:	Not Available		
DNEL/PNEC-values:	Not Available		
Exposure controls			
Appropriate engineering controls:	Adequate dust ventilation required.		
Personal protective equipment			

Engineering Controls

Ensure adequate ventilation, especially in confined areas. Provide local exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

Personal Protective Equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Hand Protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical / chemical damage and poor maintenance. Wear protective gloves. **Skin and body protection**

Wear suitable protective clothing. Personnel should wear anti-static clothing made of natural fiber or of high temperature resistant synthetic fiber.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

Thermal Protection

No information available

Environmental exposure controls

Do not allow into any sewer, on the ground or into any body of water. Local authorities should be advised if significant spillages cannot be contained.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:		Granular powder
Color:		White
Odor:		Odorless
Odor threshold	:	None
pH:		Not Applicable
Melting point/ra	inge:	2072 °C
Boiling point/rat	nge:	2977 °C
Flash point:		Incombustible
Evaporation rat	e:	Not Applicable
Flammability (se	olid, gas):	Not Available
Upper/lower fla	mmability/explosive limits:	Not Available
Auto-ignition te	mperature:	Not Available
Decomposition t	emperature:	2700 °C (4892 °F)
Vapor pressure:		Not Applicable
Vapor density:		Not Applicable
Relative density	:	3.9 g/cm^3
Solubility:		Insoluble
Viscosity, dynamic (20 °C):		Not Available
Viscosity, kinematic:		Not Available
Explosive properties:		Not Available
Oxidizing properties:		Not Available
Partition coefficient: n-Octanol/Water:		Not Applicable
Physical hazards:	Not Available	
Other information:	No additional information	

Section 10: STABILITY AND REACTIVITY

Stable under normal onditions.

Incompatible materials	Strong acids, chlorine trifluoride, and ethylene oxide.

Conditions to avoid Dust generation without adequate ventilation

Hazardous Decomposition Products None.

Possibility of Hazardous Reactions None under normal processing.

Section 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitization: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Specific target organ toxicity (single exposure): Specific target organ toxicity (repeated exposure): Aspiration hazard: Other information:

None May cause mechanical skin irritation. Not corrosive. May cause mechanical eye irritation. No data No data Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65. No data No data No data No data No data No data

Section 12: ECOLOGICAL INFORMATION

Toxicity Acute toxicity: Persistence and degradability: Bioaccumulative potential: Mobility in soil: Results of PBT & PvB assessment: Other adverse effects:

None known No data The product has low potential for bioaccumulation No data No data No known significant effects or critical hazards

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues/unused products	Disposal should be in accordance with applicable regional, national and local laws and regulations
Contaminated packaging	Improper disposal or reuse of this container may be dangerous and illegal.

Section 14: TRANSPORT INFORMATION

	Land transport (ADR/RID)	Inland waterway transport (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI/IATA-DGR)
UN number	Not regulated	Not regulated	Not regulated	Not regulated
UN proper shipping name	None	None	None	None
Transport hazard class(es)	None	None	None	None
Hazard label(s)	None	None	None	None
Packing group	None	None	None	None
Environmental hazards	None	None	None	None

Special precautions for user: None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Safety, health and environmental regulations/legislation specific for the substance or mixture **US Federal regulations**

- TSCA Chemical Inventory Status: All components of this product are listed. ٠
- CERCLA Reportable Quantity: None.
- SARA Title III:
 - Section 302 Extremely Hazardous Substances: None. 0
 - Section 304 Emergency Release Reporting: None. 0
 - Section 311/312 Hazardous Categories: Immediate (acute). 0
 - Section 313 Toxic Categories: None. 0
 - Clean Air Act of 1990 Title VI: This material does not contain, nor was it manufactured using ozone depleting chemicals.

US State regulations

•

- California Proposition 65: Not listed. ٠
- Cal-OSHA Workplace Airborne Contaminant: Listed.
- Idaho Air Contaminant: Listed.
- Illinois Toxic Substances Disclosure to Employees List: Listed.
- Massachusetts Right to Know List: Listed. •
- Massachusetts Hazardous Substance Code: F9
- Minnesota Hazardous Substance List: Listed. Code: A Carcinogen: No
- New Jersey Right to Know List: Listed substance No. 2891
- Pennsylvania Right to Know List: Listed.
- Pennsylvania Hazardous Substance List (Chapter 323 Appendix A): Listed Code: E
- Rhode Island Hazardous Substance List: Listed. •
- Texas Air Contaminant with Health Effects Screening Level: Listed (as a synonym)
- Washington Air Contaminant: Listed limit TWA 10 mg/m³

Canadian Regulations:

- WHMIS Classification: Not a controlled product.
- DSL (Domestic Substance List): All components of this product are listed on the DSL.
- NPRI (National Pollutant Release Inventory): Not subject to mandatory reporting requirements. •
- IDL (Ingredient Disclosure List): All components of this product are listed on the IDL. ٠
- Canadian Hazard Symbol: N/A

EU Regulations (EINECS 215-691-6)

Indication of Danger:	Not dangerous.	
Risk Phrases:	R36/37/38: Irritating to eyes, respiratory system, and skin.	
Safety Phrases:	S24/25/: Avoid contact with skin and eyes.	
	S22: Do not breathe dust.	
This product is considered non-dangerous in accordance with 1999/45/EC.		

roduct is considered non-dangerous in acc No

Chemical Safety Assessment:

Section 16: OTHER INFORMATION

HMIS Health hazards * = Chronic Health Hazard
Flammability
Physical hazards
Personal Protection
Supplier Address
POR Products
38 Portman Rd
New Rochelle, NY 10801
1-914-636-0700

Prepared By	Product Stewardship
Revision date	29-May-2017
Revision Note	No information available
Disclaimer	

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

End of Safety Data Sheet